

ABSOLUTE INDUSTRIAL PRICE LIST 2025







INTRODUCTION

Our range of Industrial Compressors are detailed in this price list. They offer the best industrial solutions from small compressors to large centralised systems. We work closely with our key partners EKOM to ensure the industrial network is provided with the best equipment.

EKOM are one of the leading suppliers of industrial compressors in Europe. Supplying world-wide, they have an enviable reputation for quality & reliability.

KEY POINTS IN CHOOSING EKOM:

- · Oil free compressor 100% duty
- · 2-year warranty
- · Supplied with dryers supplying upto -70 dew point
- · Bacteria free, dry air
- · Easy access for service engineers
- · 10 + years compressor lifetime
- Flexible cabinet options for all models offering < 50 dB(A) noise level
- · Compressors supplied from stock for next day delivery

ABOUT US:

We established AAG to support the industrial network and provide a high-quality product that offers exceptional reliability.

We have a strong network of industrial dealers supplying the EKOM brand into various markets. We offer full training and support to industrial engineers and sales staff. If you would like training please contact our service team who would be happy to arrange.



IN DEPTH KNOWLEDGE AND EXPERIENCE

We combine a wealth of knowledge stretching nearly 40 years with a dedicated work force to provide the customer the best possible experience.



PROVIDING THE BEST QUALITY PRODUCTS

We work closely with our key partners, helping to develop a wide range of products covering our key markets. They have been carefully selected based on their high quality, reliability and fair price.



UNRIVALLED CUSTOMER SUPPORT

We deliver exceptional customer service, from stocking compressor/parts for next day delivery to installation advice via facetime. We ensure your experience with us is hassle free, before, during and after the sale.





BUYER'S GUIDE

Here you will find a very easy guide to help you identify which product you require:

Product Name	Options	Pressure Options	Page No.
DK50 10	Cabinet (S) / Dryer (M)	6-8 Bar	4
DK50 PLUS	Cabinet (S) / Dryer – Mem/ NPSL (M)	6-8 Bar / 8-10 Bar	5
DK50 2V	Cabinet (S) / Dryer – Mem/ NPSL (M)	6-8 Bar / 8-10 Bar	6
DK50 2V/50	Cabinet (S) / Dryer (M)	6-8 Bar / 8-10 Bar	7
DK50 4VR/50	Cabinet (S) / Dryer (M)	6-8 Bar / 8-10 Bar	8
DK50 2X2V/110	Cabinet (S) / Dryer (M)	6-8 Bar / 8-10 Bar	9
DK50 2X4VR/110	Cabinet (S) / Dryer (M)	6-8 Bar / 8-10 Bar	10
DK50 2V MOBILE	Dryer (M)	6-8 Bar / 8-10 Bar	11
DK50 3X4VR	Dryer (M)	6-8 Bar / 8-10 Bar	11
Tower Systems	All Options	6-8 Bar / 8-10 Bar	12
Beverage Compressor	All Options	6-8 Bar	13
SILVER-LINE	Lubricated & Oil Free	8 Bar / 16 Bar	14
BLUE-LINE	Lubricated & Oil Free	6-8 Bar / 8-10 Bar	16

Service Type	What's Included
Intermediate Service	The Intermediate service kits will include all fi ters that are required to be replaced every year as a minimum.
Comprehensive Service	The comprehensive service kits will include all fi ters as well as valve plates, con rods and bearings. (this is an overhaul service, required based on hours or time period)
Dryer Service	The Dryer service kits include replacement columns and gasket seals, failing to service the dryer will jeopardise the air quality.

Prices quoted are list prices ex works UK
Prices shown exclude VAT
GBP £ Sterling

AAG Terms & Conditions of sale apply
AAG reserve the right to alter prices at any time Prices valid from April 2025



INDUSTRIAL COMPRESSORS DK50-10

DK50-10 Z (Compressor only) Code: EK-402101001-308	Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight:	230/50/60, 115/60 V/Hz 68L .min @ 7 Bar 10 L 65 dBa 485 x 350 x 553 (w x l x h) 38kg	£1,715 2¥ERR ¥
DK50-10 S (Compressor + Cabinet) Code: EK-402102001-308	Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight:	230/50/60, 115/60 V/Hz 68L .min @ 7 Bar 10 L 49 dBa 580 x 440 x 655 (w x l x h) 53kg	£2,114
DK50-10 Z/M (Compressor + Dryer) Code: EK-4021010A1-305	Output Power: Produced Air: Dryer Type: Air Tank Volume: Noise Level: Dimensions: Weight:	230/50/60, 115/60 V/Hz 48L .min @ 7 Bar NPSL 10 L 67 dBa 544 x 350 x 553 (w x l x h) 44kg	£2,821
DK50-10 S/M (Compressor + Dryer + Cabinet) Code: EK-4021020A1-305 (8 Bar) Code: EK-4021020A1-301 (10 Bar)	Output Power: Produced Air: Dryer Type: Air Tank Volume: Noise Level: Dimensions: Weight:	230/50/60, 115/60 V/Hz 48L .min @ 7 Bar NPSL 10 L 51.5 dBa 649 x 440 x 655 (w x l x h) 61kg	£3,089 (8 Bar) £3,634 (10 Bar) 2 YERRR Y
DK50 10 Intermediate Service Kit (Annual Service) Code: UK-8012	The DK50 10 Intern includes the intake - Recommended t minimum.		£38
DK50 10 Comprehensive Service Kit (8000 hours) Code: UK-8013	intake filters, bearin rods.	rehensive kit includes ngs, valve plates and piston des: 1 x1, 1x2, 1x3, 1x4, 1x6	£530
Inline Membrane Filter Service Kit Code: EKS-025200304-000		ne filter service kit includes r, failing to service the e the air quality.	£43

DK50 PLUS (Compressor only) Code: EK-403101001-402 (8 Bar) Code: EK-403101001-304 (10 Bar)	Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range:	230/50/60, 115/60 V/Hz 68L .min @ 7 Bar 25 L 66 dBa 460 x 460 x 690 (w x l x h) 48kg 6-8 or 8-10 Bar	£1,822 (8 Bar) £2,030 (10 Bar)
DK50 PLUS/S (Compressor + Cabinet) Code: EK-403102001-402 (8 Bar) Code: EK-403102001-401 (10 Bar)	Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range:	230/50/60, 115/60 V/Hz 68L .min @ 7 Bar 25 L 47 dBa 560 x 665 x 860 (w x l x h) 83kg 6-8 or 8-10 Bar	£3,135 (8 Bar) £3,420 (10 Bar) 2YERR Y
DK50 PLUS/M (Compressor + Dryer) Code: NPSL: EK-4031010B1-401 (8 Bar) NPSL: EK-4031010B1-404 (10 Bar)	Output Power: Produced Air: Dryer Type: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range:	230/50/60, 115/60 V/Hz 50L .min @ 7 Bar NPSL 25 L 66 dBa 460 x 515 x 690 (w x l x h) 54kg 6-8 or 8-10 Bar	£3,615 (8 Bar) £3,889 (10 Bar) 2¥ERR ¥
DK50 PLUS S/M (Compressor + Cabinet + Dryer) Code: NPSL: EK-4031020B1-401 (8 Bar) NPSL: EK-5031020B1-404 (10 Bar)	Output Power: Produced Air: Dryer Type: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range:	230/50/60, 115/60 V/Hz 50L .min @ 7 Bar NPSL 25 L 47 dBa 560 x 665 x 860 (w x l x h) 90kg 6-8 or 8-10 Bar	£4,477 (8 Bar) £4,862 (10 Bar) 2YERRRY Y
DK50 PLUS Intermediate Service Kit (Annual Service) Code: UK-8000	in-cludes the intak	ermediate Service Kit e filter. o be used every year as a	£38
DK50 PLUS Comprehensive Service Kit (8000 hours) Code: UK-8100 (8 Bar) Code: UK-8303 (10 Bar)	intake filters, bearin rods.	rehensive kit includes ıgs, valve plates and piston des: 1 x1, 1x2, 1x3, 1x4, 1x6	£530 (8 Bar) £592 (10 Bar)
DK50 PLUS Dryer Kit (20) (2-3 year service or 8000 hours) Code: UKS-20074		its include replacement et seals, failing to service the e the air quality.	£492

INDUSTRIAL COMPRESSORS DK50 2V

	0.1.15		
DK50 2V (Compressor only) Code: EK-403D01001-302 (8 Bar) Code: EK-403201005-208 (10 Bar)	Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range:	230/50/60, 110/60 V/Hz 125L .min @ 7 Bar 25 L 71 dBa 460 x 460 x 690 (w x l x h) 52kg 6-8 or 8-10 Bar	£2,593 (8 Bar) £2,718 (10 Bar)
DK50 2V/S (Compressor + Cabinet) Code: EK-403202001-306 (8 Bar) Code: EK-403202001-307 (10 Bar)	Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range:	230/50/60, 110/60 V/Hz 125L .min @ 7 Bar 25 L 53 dBa 560 x 665 x 860 (w x l x h) 88kg 6-8 or 8-10 Bar	£4,237 (8 Bar) £4,607 (10 Bar) 2 YEAR Y
DK50 2V/M (Compressor + Dryer) Code: NPSL - EK-4032010B1-302 (8 Bar) NPSL - EK-4032010B1-303 (10 Bar)	Output Power: Produced Air: Dryer Type: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range:	230/50/60, 110/60 V/Hz 100L .min @ 7 Bar NPSL 25 L 71 dBa 560 x 665 x 860 (w x l x h) 57kg 6-8 or 8-10 Bar	£4,237 (8 Bar) £4,379 (10 Bar) 2 YEAR Y
DK50 2V/S/M (NPSL) (Compressor + Cabinet + Dryer) Code: NPSL - EK-4032020B1-302 (8 Bar) NPSL - EK-4032020B1-303 (10 Bar)	Output Power: Produced Air: Dryer Type: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range:	230/50/60, 110/60 V/Hz 100L .min @ 7 Bar NPSL 25 L 53 dBa 560 x 665 x 860 (w x l x h) 104kg 6-8 or 8-10 Bar	£5,655 (8 Bar) £5,997 (10 Bar)
DK50 2V Intermediate Service Kit (Annual Service) Code: UK-8001	The DK50 2V Interr includes the intake - Recommended t minimum.		£46
DK50 2V Comprehensive Service Kit (8000 hours) Code: UK-8101 (8 Bar) Code: UK-8102 (10 Bar)	intake filters, bearin rods.	rehensive kit includes gs, valve plates and piston es: 2x1, 2x2, 2x3, 2x4, 1x5, 1x6, 1x7	£693 (8 Bar) £725 (10 Bar)
DK50 2V Dryer Kit (20) (2-3 year service or 8000 hours) Code: UKS-20074		its include replacement et seals, failing to service the e the air quality.	£492

INDUSTRIAL COMPRESSORS DK50 2V/50

/	DK50 2V/50	Output Power:	230/50/60, 115/60 V/Hz	£3,598 (8 Bar)
	(Compressor only) Code: EK-406D01005-101 (8 Bar) Code: EK-406D01005-103 (10 Bar)	Produced Air: Air Tank Volume: Noise Level: Dimensions:	125L .min @ 7 Bar 50 L 71 dBa 595 x 475 x 770 (w x l x h)	£3,823 (10 Bar)
		Weight: Pressure Range:	56kg 6-8 or 8-10 Bar	
-	DK50 2V/50/S (Compressor + Cabinet)	Output Power: Produced Air:	230/50/60, 115/60 V/Hz 125L .min @ 7 Bar	£4,702 (8 Bar)
	Code: EK-406D02005-101 (8 Bar)	Air Tank Volume: Noise Level: Dimensions:	50 L 56 dBa 750 x 715 x 1015 (w x l x h) 108kg	£4,842 (10 Bar)
		Weight: Pressure Range:	6-8 or 8-10 Bar	
	DK50 2V/50 M (NPSL) (Compressor + Dryer)	Output Power: Produced Air:	230/50/60, 110/60 V/Hz 110L .min @ 7 Bar	£4,675 (8 Bar)
A CONTRACT	Code: NPSL: EK-4062010B5-102 (8 Bar) NPSL: EK-4062010B5-103 (10 Bar)	Dryer Type: Air Tank Volume: Noise Level:	NPSL 50 L 71 dBa	£4,786 (10 Bar)
	NPSL. EK-4062010B5-103 (10 Bar)	Dimensions: Weight: Pressure Range:	595 x 585 x 770 (w x l x h) 61kg 6-8 or 8-10 Bar	
	DK50 2V/50/S/M (Compressor + Dryer + Cabinet)	Output Power: Produced Air:	230/50/60, 115/60 V/Hz 110L .min @ 7 Bar NPSL	£6,377 (8 Bar)
	Code: EK-4062020B5-102 (8 Bar) Code: EK-5062020B5-103 (10 Bar)	Dryer Type: Air Tank Volume: Noise Level:	50 L 56 dBa	£6,646 (10 Bar)
		Dimensions: Weight: Pressure Range:	750 x 715 x 1015 (w x l x h) 114kg 6-8 or 8-10 Bar	
	DK50 2V Intermediate Service Kit (Annual Service)	The DK50 2V/50 Int in-cludes the intak	termediate Service Kit e filter.	£46
	Code: UK-8001	- Recommended t minimum.	o be used every year as a	
0	DK50 2V Comprehensive Service Kit		omprehensive kit includes ngs, valve plates and piston	£693 (8 Bar)
	(8000 hours) Code: UK-8101 (8 Bar)		des: 2x1, 2x2, 2x3, 2x4, 1x5, 1x6, 1x7	£725 (10 Bar)
	Code: UK-8102 (10 Bar)			
ð ð	DK50 2V Dryer Kit (20) (2-3 year service or 8000 hours)		its include replacement et seals, failing to service the e the air quality.	£492
• • • •	Code: UKS-20074			

INDUSTRIAL COMPRESSORS DK50 4VR/50

DK50 4VR/50 (Compressor only) Code: EK-406701105-000 (8 Bar) Code: EK-406701105-101 (10 Bar)	Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range:	415/50 V/Hz 250L .min @ 7 Bar 50 L 77 dBa 580 x 580 x 790 (w x l x h) 70kg 6-8 or 8-10 Bar	£6,754 (8 Bar) £7,106 (10 Bar)
DK50 4VR/50 S (Compressor + Cabinet) Code: EK-406702105-100 (8 Bar) Code: EK-406702105-101 (10 Bar)	Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range:	415/50 V/Hz 250L .min @ 7 Bar 50 L 58 dBa 750 x 770 x 1015 (w x l x h) 128kg 6-8 or 8-10 Bar	£8,120 (8 Bar) £8,404 (10 Bar) 2YERRY Y
DK50 4VR/50/M (NPSL) (Compressor + Dryer) Code: EK-4067011B5-101 (8 Bar) Code: EK-5067011B5-104 (10 Bar)	Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range:	415/50 V/Hz 180L .min @ 7 Bar 50 L 77 dBa 585 x 635 x 795 (w x l x h) 81kg 6-8 or 8-10 Bar	£8,324 (8 Bar) £8,686 (10 Bar)
DK50 4VR/50 SM (NPSL) (Compressor + Cabinet + Dryer) Code: EK-4067021B5-101 (8 Bar) Code: EK-4067021B5-104 (10 Bar)	Output Power: Produced Air: Dryer Type: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range:	415/50 V/Hz 180L .min @ 7 Bar NPSL 50 L 58 dBa 750 x 770 x 1015 (w x l x h) 139kg 6-8 or 8-10 Bar	£9,737 (8 Bar) £9,924 (10 Bar)
DK50 4VR Intermediate Service Kit (Annual Service) Code: UK-8300	Kit includes the int	ntermediate Service ake filter. to be used every year as a	£88
DK50 4VR Comprehensive Service Kit (8000 hours) Code: UK-8301 (8 Bar) Code: UK-8335 (10 Bar)	in-take filters, bear rods.	Comprehensive kit includes ings, valve plates and piston ncludes: 4x1, 4x2, 4x3, 4x4, 2x5,	£1,389 (8 Bar) £1,494 (10 Bar)
DK50 4VR Dryer Kit (30) (2-3 year service or 8000 hours) Code: UKS-20092		its include replacement et seals, failing to service the e the air quality.	£538

INDUSTRIAL COMPRESSORS DK50 2X2V/110

		1	1	
	DK50 2X2V/110 (Compressor only) Code: EK-504101005-405 (8 Bar) Code: EK-404101005-407 (10 Bar)	Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range:	230V/50Hz (20 AMP) 250L .min @ 7 Bar 110 L 73 dBa 1090 x 425 x 815 (w x l x h) 98kg 6-8 or 8-10 Bar	£5,497 (8 Bar) £5,655 (10 Bar)
	DK50 2X2V/110/S (Compressor + Cabinet) Code: EK-404102106-301 (8 Bar) Code: EK-404102006-406 (10 Bar)	Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range:	230V/50Hz (20 AMP) 250L .min @ 7 Bar 110 L 53 dBa 1200 x 720 x 990 (w x l x h) 173kg 6-8 or 8-10 Bar	£7,844 (8 Bar) £8,129 (10 Bar) 2YERR Y
	DK50 2X2V/110/M (NPSL) (Compressor + Dryer) Code: EK-4041010B5-404 (8 Bar) Code: EK-4041010B5-403 (10 Bar)	Output Power: Produced Air: Dryer Type: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range:	230V/50Hz (20 AMP) 180L .min @ 7 Bar NPSL 110 L 73 dBa 1090 x 605 x 815 (w x l x h) 119kg 6-8 or 8-10 Bar	£7,538 (8 Bar) £7,695 (10 Bar) 2YERR Y
	DK50 2X2V/110/S/M (Compressor + Dryer + Cabinet) Code: EK-4041020B6-402 (8 Bar) Code: EK-4041020B6-403 (10 Bar)	Output Power: Produced Air: Dryer Type: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range:	230V/50Hz (20 AMP) 180L .min @ 7 Bar NPSL 110 L 53 dBa 1200 x 720 x 990 (w x l x h) 181kg 6-8 or 8-10 Bar	£9,272 (8 Bar) £9,442 (10 Bar)
	DK50 2X2V Intermediate Service Kit (Annual Service) Code: UK-8002	in-cludes the intak	Intermediate Service Kit e filter. o be used every year as a	£90
	DK50 2X2V Comprehensive Service Kit (8000 hours) Code: UK-8007 (8 Bar) Code: UK-8010 (10 Bar)	and piston rods.	Comprehensive kit ors, bearings, valve plates includes: 4x1, 4x2, 4x3, 4x4,	£1,385 (8 Bar) £1,540 (10 Bar)
€ • ° 000	DK50 2X2V Dryer Kit (30) (2-3 year service or 8000 hours) Code: UKS-20092		its include replacement et seals, failing to service the e the air quality.	£538

INDUSTRIAL COMPRESSORS DK50 2X4VR/110

DK50 2X4VR/110 (Compressor only) Code: EK-404711106-003 (8 Bar) Code: EK-404711106-001 (10 Bar)	Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range:	415/50 V/Hz 460L .min @ 7 Bar 110 L 75 dBa 1210 x 670 x 830 (w x l x h) 150kg 6-8 or 8-10 Bar	£10,119 (8 Bar) £10,979 (10 Bar) 2YERRRY Y
DK50 2X4VR/110 S (Compressor + Cabinet) Code: EK-404712106-000 (8 Bar) Code: EK-404712106-001 (10 Bar)	Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range:	415V/50 V/Hz 460L .min @ 7 Bar 110 L 58 dBa 1260 x 795 x 1025 (w x l x h) 230kg 6-8 or 8-10 Bar	£13,531 (8 Bar) £14,517 (10 Bar) 2YERR Y
DK50 2X4VR/110 M (NPSL) (Compressor + Dryer) Code: EK-4047111B6-001 (8 Bar) Code: EK-4047111B6-006 (10 Bar)	Output Power: Produced Air: Dryer Type: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range:	415V/50 Hz 340L .min @ 7 Bar NPSL 110 L 75 dBa 1210 x 670 x 830 (w x l x h) 172kg 6-8 or 8-10 Bar	£13,346 (8 Bar) £14,517 (10 Bar) 2YERRY Y
DK50 2X4VR/110/S/M (Compressor + Cabinet + Dryer) Code: EK-4047121B6-001 (8 Bar) Code: EK-4047121B6-006 (10 Bar)	Output Power: Produced Air: Dryer Type: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range:	415V/50 Hz 340L .min @ 7 Bar NPSL 110 L 58 dBa 1260 x 795 x 1025 (w x l x h) 240kg 6-8 or 8-10 Bar	£14,918 (8 Bar) £15,486 (10 Bar)
DK50 2X4VR Intermediate Service Kit (Annual Service) Code: UK-8008	Kit in-cludes the in	o Intermediate Service take filter. to be used every year as a	£178
DK50 2X4VR Comprehensive Service Kit (8000 hours) Code: UK-8223 (8 Bar) Code: UK-8304 (10 Bar)	includes intake filte piston rods.) Comprehensive kit rs, bearings, valve plates and x1, 8x2, 8x3, 8x4, 4x5, 4x6, 4x7	£2,293 (8 Bar) £2,571 (10 Bar)
DK50 2X4VR Dryer Kit (50) (2-3 year service or 8000 hours) Code: UKS-20143		its include replacement et seals, failing to service the e the air quality.	£656

000	DK50 2V MOBILE (Fully Mobile Compressor) Code: EK-509202005-302 (10 Bar)	Output Power: Produced Air: Dryer Type: Air Tank Volume: Noise Level: Dimensions: Weight:	230V/50 Hz 125 L .min @ 7 Bar NPSL 25 L 59 dBa 550 x 700 x 860 (w x l x h) 97kg	£5,810 (10 Bar)
0.00	DK50 2V/S/M Mobile (High Mobile Compressor + Dryer + Cabinet) Code: EK-4092020B5-305 (10 Bar)	Output Power: Produced Air: Dryer Type: Air Tank Volume: Noise Level: Dimensions: Weight:	230V/50 Hz 108 L .min @ 7 Bar NPSL 50 L 59 dBa 170 x 700 x 1025 (w x l x h) 102kg	£7,998 (10 Bar)
	DK50 3X4VR/M (High Flow Compressor + Dryer) Code: EK-4077211B6-000 (8 Bar)	Output Power: Produced Air: Dryer Type: Air Tank Volume: Noise Level: Dimensions: Weight:	415V/50 Hz 775 L .min @ 5 Bar NPSL 290 L 73 dBa 170 x 700 x 1025 (w x l x h) 286kg	£25,024 (8 Bar) £26,024 (10 Bar)

CENTRALISED SYSTEMS - EKOM TOWER

The EKOM towers are custom built centralised systems. We can help design a system that fits our demand perfectly.

You can select dryer type, output fl w and sound proof options.

The towers have independently running pumps that can adjust depending on the demand. It has a Siemens control panel that can monitor all aspects of the tower from pressure regulation to dew point. This can all be viewed via the LED touch screen display or remotely via BMS system.

These units are available with 2 dryer options. Refrigeration will provide a -20 dew point (+3 pressure dewpoint), compared to the NPSL dryer which will deliver upto a -70 pressure dewpoint.

Adding the soundproof box will reduce the decibel level to 72dB(A). It has a temperature controlled cooling system within the cabinet to help the pumps run at optimum temperature.

- Up to ISO 8573.1, Class 1 (Air Quality)

- ISO-13485 compliant



1

	Please contact us for more details:
Ś	T: 01527 557 006 E: enquiries@absoluteairandgas.co.uk

	4X4VR	6x4VR	9x4VR
Motor Performance (KW)	4x2.2	6x2.2	9x2.2
Mode of Operation (Duty)	S1 - 100%	S1 - 100%	S1 - 100%
Dryer Options	Refrigeration (+3 Pressure Dew Point) or	Refrigeration (+3 Pressure Dew Point) or	Refrigeration (+3 Pressure Dew Point) or
	NPSL (-40/-70 Pressure Dew Point)	NPSL (-40/-70 Pressure Dew Point)	NPSL (-40/-70 Pressure Dew Point)
Air Tank Capacity	500 L	500 L	500 L
Efficiency of Compressor (@ 7bar)	980 L/min	1,615 L/min	2,325 L/min







BEVERAGE COMPRESSOR OF-90-24

Beverage Compressor 230V

(Beverage Compressor)

Oil-free, quiet and maintenance free dispense compressor for pressurizing beer and soft drink pumps

- · 10-12 beer pumps
- · Optional wall mounting
- · Automatic condensate removal
- \cdot 5 μm fi tration included
- · 5 year warranty





Auto-drain Compressor



Changeover Valve



Wall Bracket

Technical Data

Voltage/ Frequency	Volt / Hz	230V / 50 Hz	
Tank Siz	Litres	24 (internally coated)	
Max. Pressure	Bar / Psi	8 bar / 116 PSI	
Outlet flow rate @ 3.5 bar	l/min	60 L/min	
Dimensions (L x W x H)	mm	620 x 300 x 520	
Duty Cycle	SI	100 %	
Weight	Kg	20kg	
Noise Level	dB(A)1m	58	

	SILVER-LINE L-S50-4 (Lubricated)	Output Power: Produced Air:	230/50 V/Hz 32L/min @ 7 Bar	£1,281 (8 Bar)
	Code: AB-3010.10235 (8 Bar)	Air Tank Volume: Noise Level: Dimensions: Weight: Duty Cycle:	4 L 45 dBa 300 x 340 x 340 (w x l x h) 22kg 50%	
	SILVER-LINE L-S50-25 (Lubricated) Code: AB-M06013.10235 (8 Bar) Code: AB-M06012.10235 (16 Bar)	Output Power: Produced Air: Pressure Range: Air Tank Volume: Noise Level: Dimensions: Weight: Duty Cycle:	230/50 V/Hz 32L/min @ 7 Bar 8 Bar or 16 Bar 25 L 45 dBa 400 x 400 x 510 (w x l x h) 28kg 50%	£1,413 (8 Bar) £1,778 (10 Bar)
	SILVER-LINE L-S100-25 (Lubricated) Code: AB-7010.10235 (8 Bar) Code: AB-M07011.10235 (16 Bar)	Output Power: Produced Air: Pressure Range: Air Tank Volume: Noise Level: Dimensions: Weight: Duty Cycle:	230/50 V/Hz 32L/min @ 7 Bar 8 Bar or 16 Bar 25 L 48 dBa 450 x 400 x 510 (w x l x h) 42kg 50%	£2,371 (8 Bar) £2,572 (16 Bar)
	SILVER-LINE L-S100-50 (Lubricated) Code: AB-8010.10235 (8 Bar)	Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Duty Cycle:	230/50 V/Hz 65L/min @ 7 Bar 50 L 48 dBa 420 x 860 x 750 (w x l x h) 56kg 50%	£2,530 (8 Bar)
	SILVER-LINE L-S150-50 (Lubricated) Code: AB-9010.10235 (8 Bar)	Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Duty Cycle:	230/50 V/Hz 95L/min @ 7 Bar 50 L 50 dBa 420 x 860 x 750 (w x l x h) 75kg 50%	£3,093 (8 Bar)
CARSOLITE	SILVER-LINE L-S200-50 (Lubricated) Code: AB-M104011.10235 (8 Bar)	Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Duty Cycle:	230/50 V/Hz 135L/min @ 7 Bar 50 L 52 dBa 410 x 840 x 730 (w x l x h) 88kg 50%	£4,639 (8 Bar)

Comments of the second s	SILVER-LINE L-S300-100 (Lubricated) AB-M105010.5017 (8 Bar)	Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Duty Cycle:	230/50 V/Hz 185L/min @ 7 Bar 100 L 54 dBa 390 x 1160 x 710 (w x l x h) 135kg 50%	£5,970 (8 Bar)
	SILVER-LINE OF-S90-4 (Oil Free) Code: AB-MI25018.10811 (8 Bar)	Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Duty Cycle:	230/50 V/Hz 30L/min @ 7 Bar 4 L 58 dBa 350 x 340 x 340 (w x l x h) 15kg 50%	£1,216 (8 Bar)
	SILVER-LINE OF-S90-25 (Oil Free) Code: AB-MI28014.10811 (8 Bar)	Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Duty Cycle:	230/50 V/Hz 30L/min @ 7 Bar 25 L 58 dBa 410 x 410 x 500 (w x l x h) 21kg 100%	£1,476 (8 Bar)
	CWF 100-4 (12 Bar Compressor) (Oil Free) Code: AB-CWF100-4 (12 Bar)	Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Duty Cycle:	230/50 V/Hz 40L/min @ 7 Bar (max pressure 12 Bar) 4 L 61 dBa 500 x 350 x 390 (w x l x h) 26kg 100%	£1,635 (12 Bar)
	CWF 100-24 (12 Bar Compressor) (Oil Free) Code: AB-CWF100-24 (12 Bar)	Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Duty Cycle:	230/50 V/Hz 40L/min @ 7 Bar (max pressure 12 Bar) 25 L 61 dB 490 x 450 x 640 (w x l x h) 32kg 100%	£2,389 (12 Bar)

RUELINE	BLUE-LINE L-B50-4 (Lubricated) Code: AB-M24110.10811 (8 Bar)	Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Duty Cycle:	230/50 V/Hz 32L/min @ 7 Bar 4 L 45 dBa 300 x 360 x 340 (w x l x h) 22kg 50%	£976 (8 Bar)
	BLUE-LINE L-B50-15 (Lubricated) Code: AB-M17110.10235 (8 Bar)	Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Duty Cycle:	230/50 V/Hz 32L/min @ 7 Bar 15 L 45 dBa 360 x 360 x 580 (w x l x h) 25kg 50%	£1,007 (8 Bar)
	BLUE-LINE L-B50-25 (Lubricated) Code: AB-M18410.10235 (8 Bar)	Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Duty Cycle:	230/50 V/Hz 32L/min @ 7 Bar 24 L 45 dBa 400 x 400 x 590 (w x l x h) 27kg 50%	£1,044 (8 Bar)
	BLUE-LINE OF-B90-4 (Lubricated) Code: AB-MI25019.10811 (8 Bar)	Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Duty Cycle:	230/50 V/Hz 49L/min @ 7 Bar 4 L 58 dBa 360 x 300 x 335 (w x l x h) 15kg 50%	£976 (8 Bar)

DISTRIBUTION

EKOM Distribution Network

The EKOM range is going from strength to strength. The brand continues to grow throughout the UK and Ireland, with an ever increasing network of distributors standardising on EKOM due to its reliability and price point.



NEXT DAY DELIVERY

IN STOCK



UNRIVALLED CUSTOMER SUPPORT





ekon

NOTES

NOTES

Absolute Industrial Bromsgrove Technology Park Isidore Road Bromsgrove B60 3FJ

T: 01527 557 006 E: enquiries@absoluteairandgas.co.uk

www.absolute-industrial.co.uk

© 2025 Absolute Industrial

