



ABSOLUTE INDUSTRIAL
PRICE LIST 2026



INTRODUCTION

Our range of Industrial Compressors are detailed in this price list. They offer the best industrial solutions from small compressors to large centralised systems. We work closely with our key partners EKOM to ensure the industrial network is provided with the best equipment.

EKOM are one of the leading suppliers of industrial compressors in Europe. Supplying world-wide, they have an enviable reputation for quality & reliability.

KEY POINTS IN CHOOSING EKOM:

- Oil free compressor 100% duty
- 2-year warranty
- Supplied with dryers supplying upto -70° dew point
- Bacteria free, dry air
- Easy access for service engineers
- 10+ year compressor lifetime
- Flexible cabinet options for all models offering < 50 dB(A) noise level
- Compressors supplied from stock for next day delivery

2 YEAR WARRANTY 

ABOUT US:

We established AAG to support the industrial network and provide a high-quality product that offers exceptional reliability.

We have a strong network of industrial dealers supplying the EKOM brand into various markets. We offer full training and support to industrial engineers and sales staff. If you would like training please contact our service team who would be happy to arrange.



IN DEPTH KNOWLEDGE AND EXPERIENCE

We combine a wealth of knowledge stretching nearly 40 years with a dedicated work force to provide the customer the best possible experience.



PROVIDING THE BEST QUALITY PRODUCTS

We work closely with our key partners, helping to develop a wide range of products covering our key markets. They have been carefully selected based on their high quality, reliability and fair price.



UNRIVALLED CUSTOMER SUPPORT

We deliver exceptional customer service, from stocking compressor/parts for next day delivery to installation advice via Facetime. We ensure your experience with us is hassle free, before, during and after the sale.





BUYER'S GUIDE

Here you will find a very easy guide to help you identify which product you require:

Product Name	Options	Pressure Options	Page No.
DK50 10	Cabinet (S) / Dryer (M)	6-8 Bar	4
DK50 PLUS	Cabinet (S) / Dryer – Mem/ NPSL (M)	6-8 Bar / 8-10 Bar	5
DK50 2V	Cabinet (S) / Dryer – Mem/ NPSL (M)	6-8 Bar / 8-10 Bar	6
DK50 2V/50	Cabinet (S) / Dryer (M)	6-8 Bar / 8-10 Bar	7
DK50 4VR/50	Cabinet (S) / Dryer (M)	6-8 Bar / 8-10 Bar	8
DK50 2X2V/110	Cabinet (S) / Dryer (M)	6-8 Bar / 8-10 Bar	9
DK50 2X4VR/110	Cabinet (S) / Dryer (M)	6-8 Bar / 8-10 Bar	10
DK50 2V MOBILE	Dryer (M)	6-8 Bar / 8-10 Bar	11
DK50 3X4VR	Dryer (M)	6-8 Bar / 8-10 Bar	11
Tower Systems	All Options	6-8 Bar / 8-10 Bar	12
Beverage Compressor	All Options	6-8 Bar	13
SILVER-LINE	Lubricated & Oil Free	8 Bar / 16 Bar	14
BLUE-LINE	Lubricated & Oil Free	6-8 Bar / 8-10 Bar	16
Nitrogen Generators	All Options	All Options	17

Service Type	What's Included
Intermediate Service	The Intermediate service kits will include all filters that are required to be replaced every year as a minimum.
Comprehensive Service	The comprehensive service kits will include all filters as well as valve plates, con rods and bearings. (this is an overhaul service, required based on hours or time period)
Dryer Service	The Dryer service kits include replacement columns and gasket seals, failing to service the dryer will jeopardise the air quality.

- Prices quoted are list prices ex works UK
 - Prices shown exclude VAT
 - GBP £ Sterling

- AAG Terms & Conditions of sale apply
 - AAG reserve the right to alter prices at any time
 - Prices valid from April 2026



INDUSTRIAL COMPRESSORS

DK50-10

	<p>DK50-10 Z (Compressor only)</p> <p>Code: EK-402101001-308</p>	<p>Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight:</p>	<p>230/50/60, 115/60 V/Hz 68L .min @ 7 Bar 10 L 65 dBa 485 x 350 x 553 (w x l x h) 38kg</p>	<p>£1,818</p> <p>2 YEAR WARRANTY</p>
	<p>DK50-10 S (Compressor + Cabinet)</p> <p>Code: EK-402102001-308</p>	<p>Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight:</p>	<p>230/50/60, 115/60 V/Hz 68L .min @ 7 Bar 10 L 49 dBa 580 x 440 x 655 (w x l x h) 53kg</p>	<p>£2,241</p> <p>2 YEAR WARRANTY</p>
	<p>DK50-10 Z/M (Compressor + Dryer)</p> <p>Code: EK-4021010A1-305</p>	<p>Output Power: Produced Air: Dryer Type: Air Tank Volume: Noise Level: Dimensions: Weight:</p>	<p>230/50/60, 115/60 V/Hz 48L .min @ 7 Bar NPSL 10 L 67 dBa 544 x 350 x 553 (w x l x h) 44kg</p>	<p>£2,990</p> <p>2 YEAR WARRANTY</p>
	<p>DK50-10 S/M (Compressor + Dryer + Cabinet)</p> <p>Code: EK-4021020A1-305 (8 Bar) Code: EK-4021020A1-301 (10 Bar)</p>	<p>Output Power: Produced Air: Dryer Type: Air Tank Volume: Noise Level: Dimensions: Weight:</p>	<p>230/50/60, 115/60 V/Hz 48L .min @ 7 Bar NPSL 10 L 51.5 dBa 649 x 440 x 655 (w x l x h) 61kg</p>	<p>£3,274 (8 Bar) £3,852 (10 Bar)</p> <p>2 YEAR WARRANTY</p>
	<p>DK50 10 Intermediate Service Kit (Annual Service)</p> <p>Code: UK-8012</p>	<p>The DK50 10 Intermediate Service Kit includes the intake filter.</p> <p>- Recommended to be used every year as a minimum.</p>		<p>£40</p>
	<p>DK50 10 Comprehensive Service Kit (8000 hours)</p> <p>Code: UK-8013</p>	<p>The DK50 10 Comprehensive kit includes intake filters, bearings, valve plates and piston rods.</p>	<p>DK50 10 – Kit includes: 1x1, 1x2, 1x3, 1x4, 1x6</p>	<p>£562</p>
	<p>Inline Membrane Filter Service Kit</p> <p>Code: EKS-025200304-000</p>	<p>The Inline membrane filter service kit includes a replacement filter, failing to service the dryer will jeopardise the air quality.</p>		<p>£46</p>



INDUSTRIAL COMPRESSORS

DK50 PLUS

	<p>DK50 PLUS (Compressor only)</p> <p>Code: EK-403101001-402 (8 Bar) Code: EK-403C01001-401 (10 Bar)</p>	<p>Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range:</p>	<p>230/50/60, 115/60 V/Hz 68L .min @ 7 Bar 25 L 66 dBa 460 x 460 x 690 (w x l x h) 48kg 6-8 or 8-10 Bar</p>	<p>£1,931 (8 Bar) £2,152 (10 Bar)</p> <p>2YEAR WARRANTY</p>
	<p>DK50 PLUS/S (Compressor + Cabinet)</p> <p>Code: EK-403102001-402 (8 Bar) Code: EK-403C02001-401 (10 Bar)</p>	<p>Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range:</p>	<p>230/50/60, 115/60 V/Hz 68L .min @ 7 Bar 25 L 47 dBa 560 x 665 x 860 (w x l x h) 83kg 6-8 or 8-10 Bar</p>	<p>£3,323 (8 Bar) £3,625 (10 Bar)</p> <p>2YEAR WARRANTY</p>
	<p>DK50 PLUS/M (Compressor + Dryer)</p> <p>Code: NPSL: EK-4031010B1-401 (8 Bar) NPSL: EK-4031010B1-404 (10 Bar)</p>	<p>Output Power: Produced Air: Dryer Type: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range:</p>	<p>230/50/60, 115/60 V/Hz 50L .min @ 7 Bar NPSL 25 L 66 dBa 460 x 515 x 690 (w x l x h) 54kg 6-8 or 8-10 Bar</p>	<p>£3,832 (8 Bar) £4,122 (10 Bar)</p> <p>2YEAR WARRANTY</p>
	<p>DK50 PLUS S/M (Compressor + Cabinet + Dryer)</p> <p>Code: NPSL: EK-4031020B1-401 (8 Bar) NPSL: EK-5031020B1-404 (10 Bar)</p>	<p>Output Power: Produced Air: Dryer Type: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range:</p>	<p>230/50/60, 115/60 V/Hz 50L .min @ 7 Bar NPSL 25 L 47 dBa 560 x 665 x 860 (w x l x h) 90kg 6-8 or 8-10 Bar</p>	<p>£4,746 (8 Bar) £5,154 (10 Bar)</p> <p>2YEAR WARRANTY</p>
	<p>DK50 PLUS Intermediate Service Kit (Annual Service)</p> <p>Code: UK-8000</p>	<p>The DK50 PLUS Intermediate Service Kit includes the intake filter.</p> <p>- Recommended to be used every year as a minimum.</p>		<p>£40</p>
	<p>DK50 PLUS Comprehensive Service Kit (8000 hours)</p> <p>Code: UK-8100 (8 Bar) Code: UK-8303 (10 Bar)</p>	<p>The DK50 10 Comprehensive kit includes intake filters, bearings, valve plates and piston rods.</p> <p>DK50 10 – Kit includes: 1 x1, 1x2, 1x3, 1x4, 1x6</p>		<p>£562 (8 Bar) £628 (10 Bar)</p>
	<p>DK50 PLUS Dryer Kit (20) (2-3 year service or 8000 hours)</p> <p>Code: UKS-20074</p>	<p>The Dryer service kits include replacement columns and gasket seals, failing to service the dryer will jeopardise the air quality.</p>		<p>£522</p>

INDUSTRIAL COMPRESSORS

DK50 2V

	<p>DK50 2V (Compressor only)</p> <p>Code: EK-403D01001-302 (8 Bar) Code: EK-403D01001-307 (10 Bar)</p>	<p>Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range:</p>	<p>230/50/60, 110/60 V/Hz 125L .min @ 7 Bar 25 L 71 dBa 460 x 460 x 690 (w x l x h) 52kg 6-8 or 8-10 Bar</p>	<p>£2,749 (8 Bar) £2,881 (10 Bar)</p> <p>2 YEAR WARRANTY</p>
	<p>DK50 2V/S (Compressor + Cabinet)</p> <p>Code: EK-403D02001-306 (8 Bar) Code: EK-403202001-307 (10 Bar)</p>	<p>Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range:</p>	<p>230/50/60, 110/60 V/Hz 125L .min @ 7 Bar 25 L 53 dBa 560 x 665 x 860 (w x l x h) 88kg 6-8 or 8-10 Bar</p>	<p>£4,491 (8 Bar) £4,883 (10 Bar)</p> <p>2 YEAR WARRANTY</p>
	<p>DK50 2V/M (Compressor + Dryer)</p> <p>Code: NPSL - EK-4032010B1-302 (8 Bar) NPSL - EK-4032010B1-303 (10 Bar)</p>	<p>Output Power: Produced Air: Dryer Type: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range:</p>	<p>230/50/60, 110/60 V/Hz 100L .min @ 7 Bar NPSL 25 L 71 dBa 560 x 665 x 860 (w x l x h) 57kg 6-8 or 8-10 Bar</p>	<p>£4,491 (8 Bar) £4,642 (10 Bar)</p> <p>2 YEAR WARRANTY</p>
	<p>DK50 2V/S/M (NPSL) (Compressor + Cabinet + Dryer)</p> <p>Code: NPSL - EK-4032020B1-302 (8 Bar) NPSL - EK-4032020B1-303 (10 Bar)</p>	<p>Output Power: Produced Air: Dryer Type: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range:</p>	<p>230/50/60, 110/60 V/Hz 100L .min @ 7 Bar NPSL 25 L 53 dBa 560 x 665 x 860 (w x l x h) 104kg 6-8 or 8-10 Bar</p>	<p>£5,994 (8 Bar) £6,357 (10 Bar)</p> <p>2 YEAR WARRANTY</p>
	<p>DK50 2V Intermediate Service Kit (Annual Service)</p> <p>Code: UK-8001</p>	<p>The DK50 2V Intermediate Service Kit includes the intake filter.</p> <p>- Recommended to be used every year as a minimum.</p>		<p>£49</p>
	<p>DK50 2V Comprehensive Service Kit (8000 hours)</p> <p>Code: UK-8101 (8 Bar) Code: UK-8102 (10 Bar)</p>	<p>The DK50 2V Comprehensive kit includes intake filters, bearings, valve plates and piston rods.</p> <p>DK50 2V – Kit includes: 2x1, 2x2, 2x3, 2x4, 1x5, 1x6, 1x7</p>		<p>£735 (8 Bar) £769 (10 Bar)</p>
	<p>DK50 2V Dryer Kit (20) (2-3 year service or 8000 hours)</p> <p>Code: UKS-20074</p>	<p>The Dryer service kits include replacement columns and gasket seals, failing to service the dryer will jeopardise the air quality.</p>		<p>£522</p>



INDUSTRIAL COMPRESSORS

DK50 2V/50

	<p>DK50 2V/50 (Compressor only)</p> <p>Code: EK-406D01005-101 (8 Bar) Code: EK-406D01005-103 (10 Bar)</p>	<p>Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range:</p>	<p>230/50/60, 115/60 V/Hz 125L .min @ 7 Bar 50 L 71 dBa 595 x 475 x 770 (w x l x h) 56kg 6-8 or 8-10 Bar</p>	<p>£3,814 (8 Bar) £4,052 (10 Bar)</p> <p>2YEAR WARRANTY</p>
	<p>DK50 2V/50/S (Compressor + Cabinet)</p> <p>Code: EK-406202005-001 (8 Bar)</p>	<p>Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range:</p>	<p>230/50/60, 115/60 V/Hz 125L .min @ 7 Bar 50 L 56 dBa 750 x 715 x 1015 (w x l x h) 108kg 6-8 or 8-10 Bar</p>	<p>£4,984 (8 Bar) £5,133 (10 Bar)</p> <p>2YEAR WARRANTY</p>
	<p>DK50 2V/50 M (NPSL) (Compressor + Dryer)</p> <p>Code: NPSL: EK-4062010B5-102 (8 Bar) NPSL: EK-4062010B5-103 (10 Bar)</p>	<p>Output Power: Produced Air: Dryer Type: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range:</p>	<p>230/50/60, 110/60 V/Hz 110L .min @ 7 Bar NPSL 50 L 71 dBa 595 x 585 x 770 (w x l x h) 61kg 6-8 or 8-10 Bar</p>	<p>£4,956 (8 Bar) £5,073 (10 Bar)</p> <p>2YEAR WARRANTY</p>
	<p>DK50 2V/50/S/M (Compressor + Dryer + Cabinet)</p> <p>Code: EK-4062020B5-102 (8 Bar) Code: EK-5062020B5-103 (10 Bar)</p>	<p>Output Power: Produced Air: Dryer Type: Air Tank Volume: Noise Level: Dimensions: Weight: Pressure Range:</p>	<p>230/50/60, 115/60 V/Hz 110L .min @ 7 Bar NPSL 50 L 56 dBa 750 x 715 x 1015 (w x l x h) 114kg 6-8 or 8-10 Bar</p>	<p>£6,760 (8 Bar) £7,045 (10 Bar)</p> <p>2YEAR WARRANTY</p>
	<p>DK50 2V Intermediate Service Kit (Annual Service)</p> <p>Code: UK-8001</p>	<p>The DK50 2V/50 Intermediate Service Kit in-cludes the intake filter.</p> <p>- Recommended to be used every year as a minimum.</p>		<p>£49</p>
	<p>DK50 2V Comprehensive Service Kit (8000 hours)</p> <p>Code: UK-8101 (8 Bar) Code: UK-8102 (10 Bar)</p>	<p>The DK50 2V/50 Comprehensive kit includes intake filters, bearings, valve plates and piston rods.</p> <p>DK50 2V/50 Kit includes: 2x1, 2x2, 2x3, 2x4, 1x5, 1x6, 1x7</p>		<p>£735 (8 Bar) £769 (10 Bar)</p>
	<p>DK50 2V Dryer Kit (20) (2-3 year service or 8000 hours)</p> <p>Code: UKS-20074</p>	<p>The Dryer service kits include replacement columns and gasket seals, failing to service the dryer will jeopardise the air quality.</p>		<p>£522</p>

INDUSTRIAL COMPRESSORS

DK50 4VR/50

	<p>DK50 4VR/50 (Compressor only)</p> <p>Code: EK-406701105-000 (8 Bar) Code: EK-406701105-101 (10 Bar)</p>	<p>Output Power: 415/50 V/Hz Produced Air: 250L .min @ 7 Bar Air Tank Volume: 50 L Noise Level: 77 dBa Dimensions: 580 x 580 x 790 (w x l x h) Weight: 70kg Pressure Range: 6-8 or 8-10 Bar</p>	<p>£7,159 (8 Bar) £7,532 (10 Bar)</p> <p>2YEAR WARRANTY</p>
	<p>DK50 4VR/50 S (Compressor + Cabinet)</p> <p>Code: EK-406702105-102 (8 Bar) Code: EK-406702105-101 (10 Bar)</p>	<p>Output Power: 415/50 V/Hz Produced Air: 250L .min @ 7 Bar Air Tank Volume: 50 L Noise Level: 58 dBa Dimensions: 750 x 770 x 1015 (w x l x h) Weight: 128kg Pressure Range: 6-8 or 8-10 Bar</p>	<p>£8,607 (8 Bar) £8,908 (10 Bar)</p> <p>2YEAR WARRANTY</p>
	<p>DK50 4VR/50/M (NPSL) (Compressor + Dryer)</p> <p>Code: EK-4067011B5-101 (8 Bar) Code: EK-5067011B5-104 (10 Bar)</p>	<p>Output Power: 415/50 V/Hz Produced Air: 180L .min @ 7 Bar Air Tank Volume: 50 L Noise Level: 77 dBa Dimensions: 585 x 635 x 795 (w x l x h) Weight: 81kg Pressure Range: 6-8 or 8-10 Bar</p>	<p>£8,823 (8 Bar) £9,207 (10 Bar)</p> <p>2YEAR WARRANTY</p>
	<p>DK50 4VR/50 SM (NPSL) (Compressor + Cabinet + Dryer)</p> <p>Code: EK-4067021B5-101 (8 Bar) Code: EK-4067021B5-104 (10 Bar)</p>	<p>Output Power: 415/50 V/Hz Produced Air: 180L .min @ 7 Bar Dryer Type: NPSL Air Tank Volume: 50 L Noise Level: 58 dBa Dimensions: 750 x 770 x 1015 (w x l x h) Weight: 139kg Pressure Range: 6-8 or 8-10 Bar</p>	<p>£10,321 (8 Bar) £10,519 (10 Bar)</p> <p>2YEAR WARRANTY</p>
	<p>DK50 4VR Intermediate Service Kit (Annual Service)</p> <p>Code: UK-8300</p>	<p>The DK50 4VR/50 Intermediate Service Kit includes the intake filter.</p> <p>- Recommended to be used every year as a minimum.</p>	<p>£93</p>
	<p>DK50 4VR Comprehensive Service Kit (8000 hours)</p> <p>Code: UK-8301 (8 Bar) Code: UK-8335 (10 Bar)</p>	<p>The DK50 4VR/50 Comprehensive kit includes in-take filters, bearings, valve plates and piston rods.</p> <p>DK50 4VR/50 – Kit includes: 4x1, 4x2, 4x3, 4x4, 2x5, 2x6, 2x7</p>	<p>£1,472 (8 Bar) £1,584 (10 Bar)</p>
	<p>DK50 4VR Dryer Kit (30) (2-3 year service or 8000 hours)</p> <p>Code: UKS-20092</p>	<p>The Dryer service kits include replacement columns and gasket seals, failing to service the dryer will jeopardise the air quality.</p>	<p>£570</p>



INDUSTRIAL COMPRESSORS

DK50 2X2V/110

	<p>DK50 2X2V/110 (Compressor only)</p> <p>Code: EK-504101005-405 (8 Bar) Code: EK-404101005-307 (10 Bar)</p>	<p>Output Power: 230V/50Hz (20 AMP) Produced Air: 250L .min @ 7 Bar Air Tank Volume: 110 L Noise Level: 73 dBa Dimensions: 1090 x 425 x 815 (w x l x h) Weight: 98kg Pressure Range: 6-8 or 8-10 Bar</p>	<p>£5,827 (8 Bar) £5,994 (10 Bar)</p> <p>2YEAR WARRANTY</p>
	<p>DK50 2X2V/110/S (Compressor + Cabinet)</p> <p>Code: EK-404102106-301 (8 Bar) Code: EK-404102006-406 (10 Bar)</p>	<p>Output Power: 230V/50Hz (20 AMP) Produced Air: 250L .min @ 7 Bar Air Tank Volume: 110 L Noise Level: 53 dBa Dimensions: 1200 x 720 x 990 (w x l x h) Weight: 173kg Pressure Range: 6-8 or 8-10 Bar</p>	<p>£8,315 (8 Bar) £8,617 (10 Bar)</p> <p>2YEAR WARRANTY</p>
	<p>DK50 2X2V/110/M (NPSL) (Compressor + Dryer)</p> <p>Code: EK-4041010B5-404 (8 Bar) Code: EK-4041010B5-403 (10 Bar)</p>	<p>Output Power: 230V/50Hz (20 AMP) Produced Air: 180L .min @ 7 Bar Dryer Type: NPSL Air Tank Volume: 110 L Noise Level: 73 dBa Dimensions: 1090 x 605 x 815 (w x l x h) Weight: 119kg Pressure Range: 6-8 or 8-10 Bar</p>	<p>£7,990 (8 Bar) £8,157 (10 Bar)</p> <p>2YEAR WARRANTY</p>
	<p>DK50 2X2V/110/S/M (Compressor + Dryer + Cabinet)</p> <p>Code: EK-4041020B6-402 (8 Bar) Code: EK-4041020B6-403 (10 Bar)</p>	<p>Output Power: 230V/50Hz (20 AMP) Produced Air: 180L .min @ 7 Bar Dryer Type: NPSL Air Tank Volume: 110 L Noise Level: 53 dBa Dimensions: 1200 x 720 x 990 (w x l x h) Weight: 181kg Pressure Range: 6-8 or 8-10 Bar</p>	<p>£9,828 (8 Bar) £10,009 (10 Bar)</p> <p>2YEAR WARRANTY</p>
	<p>DK50 2X2V Intermediate Service Kit (Annual Service)</p> <p>Code: UK-8002</p>	<p>The DK50 2x2V/110 Intermediate Service Kit includes the intake filter.</p> <p>- Recommended to be used every year as a minimum.</p>	<p>£95</p>
	<p>DK50 2X2V Comprehensive Service Kit (8000 hours)</p> <p>Code: UK-8007 (8 Bar) Code: UK-8010 (10 Bar)</p>	<p>The DK50 2x2V/110 Comprehensive kit includes intake filters, bearings, valve plates and piston rods.</p> <p>DK50 2x2V/110 - Kit includes: 4x1, 4x2, 4x3, 4x4, 2x5, 2x6, 2x7</p>	<p>£1,468 (8 Bar) £1,632 (10 Bar)</p>
	<p>DK50 2X2V Dryer Kit (30) (2-3 year service or 8000 hours)</p> <p>Code: UKS-20092</p>	<p>The Dryer service kits include replacement columns and gasket seals, failing to service the dryer will jeopardise the air quality.</p>	<p>£570</p>


INDUSTRIAL COMPRESSORS

DK50 2X4VR/110

	<p>DK50 2X4VR/110 (Compressor only)</p> <p>Code: EK-404711106-003 (8 Bar) Code: EK-404711106-001 (10 Bar)</p>	<p>Output Power: 415/50 V/Hz Produced Air: 460L .min @ 7 Bar Air Tank Volume: 110 L Noise Level: 75 dBa Dimensions: 1210 x 670 x 830 (w x l x h) Weight: 150kg Pressure Range: 6-8 or 8-10 Bar</p>	<p>£10,726 (8 Bar) £11,638 (10 Bar)</p> <p>2YEAR WARRANTY</p>
	<p>DK50 2X4VR/110 S (Compressor + Cabinet)</p> <p>Code: EK-404712106-000 (8 Bar) Code: EK-404712106-001 (10 Bar)</p>	<p>Output Power: 415V/50 V/Hz Produced Air: 460L .min @ 7 Bar Air Tank Volume: 110 L Noise Level: 58 dBa Dimensions: 1260 x 795 x 1025 (w x l x h) Weight: 230kg Pressure Range: 6-8 or 8-10 Bar</p>	<p>£14,343 (8 Bar) £15,388 (10 Bar)</p> <p>2YEAR WARRANTY</p>
	<p>DK50 2X4VR/110 M (NPSL) (Compressor + Dryer)</p> <p>Code: EK-4047111B6-001 (8 Bar) Code: EK-4047111B6-006 (10 Bar)</p>	<p>Output Power: 415V/50 Hz Produced Air: 340L .min @ 7 Bar Dryer Type: NPSL Air Tank Volume: 110 L Noise Level: 75 dBa Dimensions: 1210 x 670 x 830 (w x l x h) Weight: 172kg Pressure Range: 6-8 or 8-10 Bar</p>	<p>£14,147 (8 Bar) £15,388 (10 Bar)</p> <p>2YEAR WARRANTY</p>
	<p>DK50 2X4VR/110/S/M (Compressor + Cabinet + Dryer)</p> <p>Code: EK-4047121B6-001 (8 Bar) Code: EK-4047121B6-006 (10 Bar)</p>	<p>Output Power: 415V/50 Hz Produced Air: 340L .min @ 7 Bar Dryer Type: NPSL Air Tank Volume: 110 L Noise Level: 58 dBa Dimensions: 1260 x 795 x 1025 (w x l x h) Weight: 240kg Pressure Range: 6-8 or 8-10 Bar</p>	<p>£14,996 (8 Bar) £16,311 (10 Bar)</p> <p>2YEAR WARRANTY</p>
	<p>DK50 2X4VR Intermediate Service Kit (Annual Service)</p> <p>Code: UK-8008</p>	<p>The DK50 2x4VR/110 Intermediate Service Kit in-cludes the intake filter.</p> <p>- Recommended to be used every year as a minimum.</p>	<p>£189</p>
	<p>DK50 2X4VR Comprehensive Service Kit (8000 hours)</p> <p>Code: UK-8223 (8 Bar) Code: UK-8304 (10 Bar)</p>	<p>The DK50 2x4VR/110 Comprehensive kit includes intake filters, bearings, valve plates and piston rods.</p> <p>DK50 2x4VR/110 – 8 x1, 8x2, 8x3, 8x4, 4x5, 4x6, 4x7</p>	<p>£2,431 (8 Bar) £2,725 (10 Bar)</p>
	<p>DK50 2X4VR Dryer Kit (50) (2-3 year service or 8000 hours)</p> <p>Code: UKS-20143</p>	<p>The Dryer service kits include replacement columns and gasket seals, failing to service the dryer will jeopardise the air quality.</p>	<p>£695</p>



INDUSTRIAL COMPRESSORS

	<p>DK50 2V MOBILE (Fully Mobile Compressor)</p> <p>Code: EK-50920200A-301 (10 Bar)</p>	<p>Output Power: Produced Air: Dryer Type: Air Tank Volume: Noise Level: Dimensions: Weight:</p>	<p>230V/50 Hz 125 L .min @ 7 Bar NPSL 25 L 59 dBa 550 x 700 x 860 (w x l x h) 97kg</p>	<p>£6,159 (10 Bar)</p>
	<p>DK50 2V/S/M Mobile (High Mobile Compressor + Dryer + Cabinet)</p> <p>Code: EK-4092020B5-305 (10 Bar)</p>	<p>Output Power: Produced Air: Dryer Type: Air Tank Volume: Noise Level: Dimensions: Weight:</p>	<p>230V/50 Hz 108 L .min @ 7 Bar NPSL 50 L 59 dBa 170 x 700 x 1025 (w x l x h) 102kg</p>	<p>£8,478 (10 Bar)</p>
	<p>DK50 3X4VR/M (High Flow Compressor + Dryer)</p> <p>Code: EK-4077211B6-000 (8 Bar)</p>	<p>Output Power: Produced Air: Dryer Type: Air Tank Volume: Noise Level: Dimensions: Weight:</p>	<p>415V/50 Hz 775 L .min @ 5 Bar NPSL 290 L 73 dBa 170 x 700 x 1025 (w x l x h) 286kg</p>	<p>£26,525 (8 Bar) £27,585 (10 Bar)</p>

CENTRALISED SYSTEMS - EKOM TOWER

The EKOM towers are custom built centralised systems. We can help design a system that fits our demand perfectly.

You can select dryer type, output flow and sound proof options.

The towers have independently running pumps that can adjust depending on the demand. It has a Siemens control panel that can monitor all aspects of the tower from pressure regulation to dew point. This can all be viewed via the LED touch screen display or remotely via BMS system.

These units are available with 2 dryer options. Refrigeration will provide a -20 dew point (+3 pressure dewpoint), compared to the NPSL dryer which will deliver upto a -70 pressure dewpoint.

Adding the soundproof box will reduce the decibel level to 72dB(A). It has a temperature controlled cooling system within the cabinet to help the pumps run at optimum temperature.

- Up to ISO 8573.1, Class 1 (Air Quality)

- ISO-13485 compliant



Please contact us for more details:

T: 01527 557 006 | E: enquiries@absoluteairandgas.co.uk

	4X4VR	6X4VR	9X4VR
Motor Performance (KW)	4x2.2	6x2.2	9x2.2
Mode of Operation (Duty)	S1 - 100%	S1 - 100%	S1 - 100%
Dryer Options	Refrigeration (+3 Pressure Dew Point) or NPSL (-40/-70 Pressure Dew Point)	Refrigeration (+3 Pressure Dew Point) or NPSL (-40/-70 Pressure Dew Point)	Refrigeration (+3 Pressure Dew Point) or NPSL (-40/-70 Pressure Dew Point)
Air Tank Capacity	500 L	500 L	500 L
Efficiency of Compressor (@ 7bar)	980 L/min	1,615 L/min	2,325 L/min



BEVERAGE COMPRESSOR OF-90-24



Beverage Compressor 230V (Beverage Compressor)

Oil-free, quiet and maintenance free dispense compressor for pressurizing beer and soft drink pumps

- 10-12 beer pumps
- Optional wall mounting
- Automatic condensate removal
- 5 µm filtration included
- 5 year warranty



Auto-drain Compressor



Changeover Valve



Wall Bracket

Technical Data

Voltage/ Frequency	Volt / Hz	230V / 50 Hz
Tank Siz	Litres	24 (internally coated)
Max. Pressure	Bar / Psi	8 bar / 116 PSI
Outlet flow rate @ 3.5 bar	l/min	60 L/min
Dimensions (L x W x H)	mm	620 x 300 x 520
Duty Cycle	SI	100 %
Weight	Kg	20kg
Noise Level	dB(A)1m	58



INDUSTRIAL COMPRESSORS

	<p>SILVER-LINE L-S50-4 (Lubricated)</p> <p>Code: AB-3010.10235 (8 Bar)</p>	<p>Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Duty Cycle:</p>	<p>230/50 V/Hz 32L/min @ 7 Bar 4 L 45 dBa 300 x 340 x 340 (w x l x h) 22kg 50%</p>	<p>£1,358 (8 Bar)</p>
	<p>SILVER-LINE L-S50-25 (Lubricated)</p> <p>Code: AB-M06013.10235 (8 Bar) Code: AB-M06012.10235 (16 Bar)</p>	<p>Output Power: Produced Air: Pressure Range: Air Tank Volume: Noise Level: Dimensions: Weight: Duty Cycle:</p>	<p>230/50 V/Hz 32L/min @ 7 Bar 8 Bar or 16 Bar 25 L 45 dBa 400 x 400 x 510 (w x l x h) 28kg 50%</p>	<p>£1,498 (8 Bar) £1,885 (16 Bar)</p>
	<p>SILVER-LINE L-S100-25 (Lubricated)</p> <p>Code: AB-7010.10235 (8 Bar) Code: AB-M07011.10235 (16 Bar)</p>	<p>Output Power: Produced Air: Pressure Range: Air Tank Volume: Noise Level: Dimensions: Weight: Duty Cycle:</p>	<p>230/50 V/Hz 32L/min @ 7 Bar 8 Bar or 16 Bar 25 L 48 dBa 450 x 400 x 510 (w x l x h) 42kg 50%</p>	<p>£2,513 (8 Bar) £2,726 (16 Bar)</p>
	<p>SILVER-LINE L-S100-50 (Lubricated)</p> <p>Code: AB-M08011.10811 (8 Bar)</p>	<p>Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Duty Cycle:</p>	<p>230/50 V/Hz 65L/min @ 7 Bar 50 L 48 dBa 420 x 860 x 750 (w x l x h) 56kg 50%</p>	<p>£2,682 (8 Bar)</p>
	<p>SILVER-LINE L-S150-50 (Lubricated)</p> <p>Code: AB-9010.10235 (8 Bar)</p>	<p>Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Duty Cycle:</p>	<p>230/50 V/Hz 95L/min @ 7 Bar 50 L 50 dBa 420 x 860 x 750 (w x l x h) 75kg 50%</p>	<p>£3,279 (8 Bar)</p>
	<p>SILVER-LINE L-S200-50 (Lubricated)</p> <p>Code: AB-M104011.10235 (8 Bar)</p>	<p>Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Duty Cycle:</p>	<p>230/50 V/Hz 135L/min @ 7 Bar 50 L 52 dBa 410 x 840 x 730 (w x l x h) 88kg 50%</p>	<p>£4,917 (8 Bar)</p>

INDUSTRIAL COMPRESSORS

	<p>SILVER-LINE L-S300-100 (Lubricated)</p> <p>AB-M105010.5017 (8 Bar)</p>	<p>Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Duty Cycle:</p>	<p>230/50 V/Hz 185L/min @ 7 Bar 100 L 54 dBA 390 x 1160 x 710 (w x l x h) 135kg 50%</p>	<p>£6,328 (8 Bar)</p>
	<p>SILVER-LINE OF-S90-4 (Oil Free)</p> <p>Code: AB-M125018.10811 (8 Bar)</p>	<p>Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Duty Cycle:</p>	<p>230/50 V/Hz 30L/min @ 7 Bar 4 L 58 dBA 350 x 340 x 340 (w x l x h) 15kg 50%</p>	<p>£1,289 (8 Bar)</p>
	<p>SILVER-LINE OF-S90-25 (Oil Free)</p> <p>Code: AB-M128014.10811 (8 Bar)</p>	<p>Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Duty Cycle:</p>	<p>230/50 V/Hz 30L/min @ 7 Bar 25 L 58 dBA 410 x 410 x 500 (w x l x h) 21kg 100%</p>	<p>£1,565 (8 Bar)</p>
	<p>CWF 100-4 (12 Bar Compressor)(Oil Free)</p> <p>Code: AB-CWF100-4 (12 Bar)</p>	<p>Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Duty Cycle:</p>	<p>230/50 V/Hz 40L/min @ 7 Bar (max pressure 12 Bar) 4 L 61 dBA 500 x 350 x 390 (w x l x h) 26kg 100%</p>	<p>£1,733 (12 Bar)</p>
	<p>CWF 100-24 (12 Bar Compressor)(Oil Free)</p> <p>Code: AB-CWF100-24 (12 Bar)</p>	<p>Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Duty Cycle:</p>	<p>230/50 V/Hz 40L/min @ 7 Bar (max pressure 12 Bar) 25 L 61 dB 490 x 450 x 640 (w x l x h) 32kg 100%</p>	<p>£2,532 (12 Bar)</p>





INDUSTRIAL COMPRESSORS

	<p>BLUE-LINE L-B50-4 (Lubricated)</p> <p>Code: AB-M24110.10811 (8 Bar)</p>	<p>Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Duty Cycle:</p>	<p>230/50 V/Hz 32L/min @ 7 Bar 4 L 45 dBa 300 x 360 x 340 (w x l x h) 22kg 50%</p>	<p>£1,035 (8 Bar)</p>
	<p>BLUE-LINE L-B50-15 (Lubricated)</p> <p>Code: AB-M17110.10235 (8 Bar)</p>	<p>Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Duty Cycle:</p>	<p>230/50 V/Hz 32L/min @ 7 Bar 15 L 45 dBa 360 x 360 x 580 (w x l x h) 25kg 50%</p>	<p>£1,067 (8 Bar)</p>
	<p>BLUE-LINE L-B50-25 (Lubricated)</p> <p>Code: AB-M18410.10235 (8 Bar)</p>	<p>Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Duty Cycle:</p>	<p>230/50 V/Hz 32L/min @ 7 Bar 24 L 45 dBa 400 x 400 x 590 (w x l x h) 27kg 50%</p>	<p>£1,107 (8 Bar)</p>
	<p>BLUE-LINE OF-B90-4 (Lubricated)</p> <p>Code: AB-M125019.10811 (8 Bar)</p>	<p>Output Power: Produced Air: Air Tank Volume: Noise Level: Dimensions: Weight: Duty Cycle:</p>	<p>230/50 V/Hz 49L/min @ 7 Bar 4 L 58 dBa 360 x 300 x 335 (w x l x h) 15kg 50%</p>	<p>£1,035 (8 Bar)</p>



NITROGEN GENERATORS

	<p>FLAIRMO N2G-3C Nitrogen Generator (Internal Air Supply)</p> <p>Code: UK-8336</p>	<p>Output Power: 230/50 V/Hz Nitrogen Capacity: 3 NI/min Nitrogen Purity: 99.5% @ 20 °C* Storage Tank: 4 Litres in Stainless Tank Dimensions: 495 x 230 x 545 (w x l x h) Weight: 28kg Duty Cycle: S1 - 100%</p>	<p>£5,458</p> <p>FLAIRMO</p>
	<p>FLAIRMO N2G-10C Nitrogen Generator (Internal Air Supply)</p> <p>Code: UK-8341</p>	<p>Output Power: 230/50 V/Hz Nitrogen Capacity: 10 NI/min Nitrogen Purity: 99.5% @ 20 °C* Storage Tank: 6 Litres in Stainless Tank Dimensions: 722 x 270 x 551 (w x l x h) Weight: 50kg Duty Cycle: S1 - 100%</p>	<p>£7,402</p> <p>FLAIRMO</p>
	<p>FLAIRMO N2G-15C Nitrogen Generator (Internal Air Supply)</p> <p>Code: UK-8432</p>	<p>Output Power: 230/50 V/Hz Nitrogen Capacity: 15 NI/min Nitrogen Purity: 99.5% @ 20 °C* Storage Tank: 6 Litres in Stainless Tank Dimensions: 722 x 270 x 551 (w x l x h) Weight: 52kg Duty Cycle: S1 - 100%</p>	<p>£7,772</p> <p>FLAIRMO</p>
	<p>FLAIRMO N2G-20C Nitrogen Generator (Internal Air Supply)</p> <p>Code: UK-8243</p>	<p>Output Power: 230/50 V/Hz Nitrogen Capacity: 20 NI/min Nitrogen Purity: 99.5% @ 20 °C* Storage Tank: 6 Litres in Stainless Tank Dimensions: 722 x 278 x 785 (w x l x h) Weight: 80kg Duty Cycle: S1 - 100%</p>	<p>£8,579</p> <p>FLAIRMO</p>

DISTRIBUTION

EKOM Distribution Network



The EKOM range is going from strength to strength. The brand continues to grow throughout the UK and Ireland, with an ever increasing network of distributors standardising on EKOM due to its reliability and price point.



IN STOCK



NEXT DAY DELIVERY



UNRIVALLED CUSTOMER SUPPORT



If you are interested in the EKOM range, please feel free to contact us for more details.

T: 01527 557 006

E: enquiries@absoluteairandgas.co.uk

Absolute Industrial
Bromsgrove Technology Park
Isidore Road
Bromsgrove
B60 3FJ

T: 01527 557 006
E: enquiries@absoluteairandgas.co.uk

www.absolute-industrial.co.uk

© 2026 Absolute Industrial

